

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Synthetic Honda CVT Fluid

Other means of identification

Product Code(s) 90341

Synonyms No information available

Recommended use of the chemical and restrictions on use

Recommended Use Transmission Fluid, Lubricant.

Uses advised against All Other Uses

Details of the supplier of the safety data sheet

Manufacturer Address

Schaeffer Manufacturing Co. DuQuoin

845 N. Hickory Street

Du Quoin, IL 62832

TEL: 1-618-542-5431

Emergency telephone number

Company Phone Number 618-542-5431

Company Emergency Phone Number (618) 542-5431

Emergency telephone number Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization	Category 1
--------------------	------------

Label elements

EMERGENCY OVERVIEW

WARNING

Hazard statements

May cause an allergic skin reaction



Appearance orange

Physical state viscous liquid

Odor Mild petroleum odor

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Precautionary Statements - Response

Specific treatment (see supplemental first aid instruction on this label)

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)**Other information**

- Harmful to aquatic life with long lasting effects
- Harmful to aquatic life

Unknown Aquatic Toxicity

1.25% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Common Name Synthetic hydrocarbon lubricating fluid.
Chemical Family Petroleum hydrocarbon mixture.

Chemical name	CAS-No	Weight %	Trade secret
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	72.65	*
I-Decene, Dimer, Hydrogenated	68649-11-6	8.53-9.48	*
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	0.40-0.79	*
Benzene, polypropene derivatives, sulfonated, calcium salts	Proprietary	0.40-0.79	*
1-(tert-Dodecylthio)propan-2-ol	67124-09-8	0.40-0.79	*
Reaction products of Benzeneamine, N-phenyl with nonene (branched)	36878-20-3	0.08-0.39	*
C14-18 alpha-olefin epoxide, reaction products with boric acid	Proprietary	0.08-0.39	*
orthophosphoric acid	7664-38-2	0.04-0.12	*
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives	61791-44-4	0.04-0.12	*
Benzoic acid, 2-hydroxy-, mono-C>13-alkyl derivs., calcium salts (2:1)	83846-43-9	0.04-0.12	*
Diphenylamine	122-39-4	0.01-0.07	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice No hazards which require special first aid measures.

Eye contact Flush eyes for 30 minutes with water. Get medical attention if irritation persists.

Skin contact Remove contaminated shoes and clothing and cleanse affected area(s) thoroughly by washing with mild soap and water or a waterless hand cleaner. If irritation or redness develops and persists, seek medical attention. If skin irritation persists, call a physician.

Inhalation Move exposed persons to fresh air. Consult medical personnel if breathing issues occur.

Ingestion Do NOT induce vomiting. Consult a physician.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Water spray, dry chemical, foam, or carbon dioxide.

Small Fires Always use personal safety equipment. Follow appropriate personal safety procedures, and extinguishing media.

Large Fires Contact emergency personnel.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Combustible material.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO₂).

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal protection Avoid contact with the skin and the eyes. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. Wash skin with soap and water if contact occurs. Launder soiled clothing. If spilled, take caution, as material can cause surfaces to become very slippery.

For emergency responders Avoid breathing vapors or mists.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Cover with earth, sand, or other non-combustible material followed with plastic sheets to minimize spreading or contact with rain.

Methods for cleaning up Excess liquid material can be collected using a scoop or shovel and stored for recycling or disposal.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on safe handling If contact is made, wash skin with soap and water. Launder soiled clothing.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat and sources of ignition.

Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure guidelines This product contains the following hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
orthophosphoric acid 7664-38-2	3 mg/m ³ STEL TWA: 1 mg/m ³	TWA: 1 mg/m ³	IDLH: 1000 mg/m ³ TWA: 1 mg/m ³ STEL: 3 mg/m ³
Diphenylamine 122-39-4	TWA: 10 mg/m ³	-	TWA: 10 mg/m ³

Appropriate engineering controls

Engineering Controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face Protection Wear safety glasses if contact is likely.

Skin and body protection No skin protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact. .

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	viscous liquid	Odor	Mild petroleum odor
Appearance	orange	Odor threshold	No information available
Color	orange		
Property	Values	Remarks • Method	
pH	No information available	Based on similar products.	
Melting point/freezing point	No information available		
Boiling Point/Range	No information available		
Flash point	> 93.3 °C / > 200 °F		
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific gravity	0.85		
Water solubility	No information available		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature			

Decomposition temperature	No information available
Kinematic viscosity	30-35 @40C mm2/s
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available

Other information

Softening point	No information available
VOC Content	No information available
Density	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization	Hazardous polymerization does not occur.
---------------------------------	--

Conditions to avoid

Excessive heat. High energy sources of ignition.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye contact	Avoid contact with eyes. May cause irritation.
Skin contact	May cause eye/skin irritation. Repeated exposure may cause skin dryness or cracking. May cause sensitization by skin contact.
Ingestion	Do NOT taste or swallow.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Reaction products of Benzeneamine, N-phenyl with nonene (branched) 36878-20-3	> 5000 mg/kg (Rat)	-	-
orthophosphoric acid 7664-38-2	= 1530 mg/kg (Rat)	= 2740 mg/kg (Rabbit)	> 850 mg/m ³ (Rat) 1 h
Benzoic acid, 2-hydroxy-, mono-C>13-alkyl derivs., calcium salts (2:1) 83846-43-9	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Diphenylamine 122-39-4	= 1120 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms	No information available.
-----------------	---------------------------

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.
Carcinogenicity	Mineral oils are known to cause cancer because of carcinogenic components (e.g. benzene). The mineral oil in this product is highly refined and should not be considered a carcinogen. Used lubricating oil may contain hazardous components which have the potential to cause skin cancer. Continuous long-term contact with used lubricating oils has caused skin cancer in animal tests. .

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	-	Group 1	-	X

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information

Unknown Aquatic Toxicity	1.25% of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated based on chapter 3.1 of the GHS document .	
ATEmix (oral)	5911 mg/kg
ATEmix (dermal)	5911 mg/kg

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Harmful to aquatic life
Harmful to aquatic life with long lasting effects

1.57% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Reaction products of Benzeneamine, N-phenyl with nonene (branched) 36878-20-3	-	1000: 96 h Pimephales promelas mg/L LC50 semi-static	14 - 28: 96 h Mysidopsis bahia mg/L LC50
orthophosphoric acid 7664-38-2	-	3 - 3.5: 96 h Gambusia affinis mg/L LC50	4.6: 12 h Daphnia magna mg/L EC50
Benzoic acid, 2-hydroxy-, mono-C>13-alkyl derivs., calcium salts (2:1) 83846-43-9	-	67: 96 h Oncorhynchus mykiss mg/L LC50 static	30: 48 h Daphnia magna mg/L EC50
Diphenylamine 122-39-4	1.5: 72 h Scenedesmus subspicatus mg/L EC50	3.47 - 4.14: 96 h Pimephales promelas mg/L LC50 flow-through	1.69 - 2.46: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
Diphenylamine 122-39-4	3.5

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Method Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Diphenylamine 122-39-4	(hazardous constituent - no waste number)	Included in waste streams: F039, K083, K104	-	-

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Diphenylamine 122-39-4	Toxic

14. TRANSPORT INFORMATION

DOT Not regulated

IATA PETROLEUM LUBRICATING OIL; NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER ICAO TI OR IATA DGR

15. REGULATORY INFORMATION

International Inventories

TSCA	Does not comply
DSL/NDL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

Legend:

All components are either listed on the US TSCA Inventory, or are not regulated under TSCA.

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	SARA 313 - Threshold Values %
Diphenylamine - 122-39-4	1.0

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
orthophosphoric acid 7664-38-2	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
orthophosphoric acid 7664-38-2	X	-	X
Diphenylamine 122-39-4	X	X	X

U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

16. OTHER INFORMATION

NFPA	Health hazards 1	Flammability 1	Instability 0	Physical and Chemical Hazards -
HMIS	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection X

Issuing Date 31-Mar-2015

Revision Date 31-Mar-2015

Revision Note

Initial Release

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS