

# **Safety Data Sheet**

Issuing Date 05-Aug-2020 Revision Date 05-Aug-2020 Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product name SP Motor Oils; 5W-20, 5W-30, 10W-30, 10W-40, 20W-50

Other means of identification

Product Code(s) 5W-20: 53175, 153175. 5W-30: 53176, 153176. 10W-30: 53177, 153177. 10W-40: 53128,

20W-50: 53120

Synonyms No information available

Recommended use of the chemical and restrictions on use
Recommended Use Engine oil, Lubricant.
Uses advised against All Other Uses

Details of the supplier of the safety data sheet

**Manufacturer Address** 

Schaeffer Manufacturing Co. DuQuoin

845 N. Hickory Street Du Quoin,IL 62832 TEL: 1-618-542-5431

**Emergency telephone number** 

Company Phone Number 1-618-542-5431

Emergency telephone number Chemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

## Classification

**OSHA Regulatory Status** 

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

#### Label elements

#### **EMERGENCY OVERVIEW**

Appearance Amber colored liquid Physical state Viscous Liquid Odor Mild petroleum odor

#### Hazards not otherwise classified (HNOC)

Other information

Unknown Aquatic Toxicty 0% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Common NameHydrocarbon Lubricating Fluid.Chemical FamilyPetroleum hydrocarbon mixture.

Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	0-90	*
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	0-90	*
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)	2215-35-2	0.43-0.86	*
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	0-90	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

#### First aid measures

General advice No hazards which require special first aid measures.

Flush eyes for 30 minutes with water. Get medical attention if irritation persists. Eve contact

Skin contact Remove contaminated shoes and clothing and cleanse affected area(s) thoroughly by

washing with mild soap and water or a waterless hand cleaner. If irritation or redness

develops and persists, seek medical attention.

Inhalation Move exposed persons to fresh air. Consult medical personnel if breathing issues occur.

Do NOT induce vomiting. Consult a physician. Ingestion

Most important symptoms and effects, both acute and delayed

No information available. **Symptoms** 

Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

**Small Fires** Always use personal safety equipment. Follow appropriate personal safety procedures, and

extinguishing media.

**Large Fires** Contact emergency personnel.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

#### Specific hazards arising from the chemical

Combustible material.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

SP Motor Oils; 5W-20, 5W-30, 10W-30, 10W-40, 20W-50

Revision Date 05-Aug-2020

Personal protection Avoid contact with the skin and the eyes. Eye protection or face shield should be used if

material is used under conditions that increase the chances of splattering. Wash skin with soap and water if contact occurs. Launder soiled clothing. If spilled, take caution, as

material can cause surfaces to become very slippery.

Other information Small spill: Remove sources of heat or ignition, provide adequate ventilation, contain leak

using absorbent, inert, non-combustible material. Large Spill: Contain spill, transfer to secure containers. In the event of an uncontrolled material release, the user should

determine if release is reportable under applicable laws and regulations.

Clean up area with absorbent material and place in closed containers for disposal. For emergency responders

Environmental precautions

Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, **Environmental precautions** 

sewers, basements or confined areas.

Methods and material for containment and cleaning up

Cover with earth, sand, or other non-combustible material followed with plastic sheets to **Methods for containment** 

minimize spreading or contact with rain.

Excess liquid material can be collected using a scoop or shovel and stored for recycling or Methods for cleaning up

disposal. Prevent material from entering drains or waterways.

## 7. HANDLING AND STORAGE

# Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Eye protection or face shield should be used if

> material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at

ambient temperature.

Conditions for safe storage, including any incompatibilities

Keep away from heat and sources of ignition. Keep containers closed when not in use. **Storage Conditions** 

> Follow first aid measures if contact occurs, and spill procedures if spill occurs. For packaged material: Store in a cool dry area. For bulk material: store in cool dry area. Always follow local, state, and federal guidelines for storage of material for amount stored.

Strong oxidizing agents. **Incompatible Products** 

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure guidelines** This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup>
heavy paraffinic	_	_	TWA: 5 mg/m <sup>3</sup>
64742-54-7			STEL: 10 mg/m <sup>3</sup>
Petroleum distillates, solvent-refined	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup>
heavy paraffinic		_	TWA: 5 mg/m <sup>3</sup>
64741-88-4			STEL: 10 mg/m <sup>3</sup>

#### **Appropriate engineering controls**

SP Motor Oils; 5W-20, 5W-30, 10W-30, 10W-40, 20W-50

Revision Date 05-Aug-2020

**Engineering Controls Showers** 

> Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face Protection** If splashes are likely to occur, wear:. Goggles. Eye/face Protection.

Skin and body protection Long sleeved clothing. Protective gloves can be worn, if material comes in contact with skin

wash with soap and water.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Remove and wash contaminated clothing before re-use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Viscous Liquid

Amber colored liquid **Appearance** Odor Mild petroleum odor

Color amber Odor threshold No information available

Remarks • Method **Property** Values

pН No information available Melting point/freezing point No information available **Boiling Point/Range** No information available Flash point > 185 °C / > 365 °F

Pensky-Martens Closed Cup (PMCC), ASTM D93. **EPA 1010** 

**Evaporation rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available

Specific gravity 0.86-0.88

Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available

**Autoignition temperature** 

**Decomposition temperature** No information available Kinematic viscosity 45-165 @40C mm2/s Dynamic viscosity No information available No information available **Explosive properties Oxidizing properties** No information available

Other information

Softening point No information available **VOC Content** No information available **Density** No information available No information available **Bulk density** 

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

## **Chemical stability**

Stable under normal conditions.

## **Possibility of Hazardous Reactions**

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

#### Conditions to avoid

Excessive heat. High energy sources of ignition.

# **Incompatible materials**

Strong oxidizing agents.

# Hazardous decomposition products

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** No data available

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system.

Eye contact Avoid contact with eyes. May cause irritation.

May cause eye/skin irritation. Repeated exposure may cause skin dryness or cracking. Skin contact

Ingestion Do NOT taste or swallow.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg (Rat) > 24 g/kg (Rat)	> 5000 mg/kg(Rabbit)	= 2062 ppm (Rat) 4 h
Lubricating oils, petroleum, hydrotreated spent 64742-58-1	> 2000 mg/kg(Rat)	> 4480 mg/kg(Rabbit)	-
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate) 2215-35-2	2000 - 5000 mg/kg(Rat)	> 3160 mg/kg(Rabbit)	-
Petroleum distillates, solvent-refined heavy paraffinic 64741-88-4	> 5000 mg/kg (Rat) > 24 g/kg ( Rat)	> 2000 mg/kg(Rabbit)	> 5530 mg/m³ ( Rat ) 4 h = 2062 ppm ( Rat ) 4 h

## Information on toxicological effects

**Symptoms** No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes.

No information available. Sensitization Germ cell mutagenicity No information available. Carcinogenicity

Mineral oils are known to cause cancer because of carcinogenic components (e.g. benzene). The mineral oil in this product is highly refined and should not be considered a carcinogen. Used lubricating oil may contain hazardous components which have the potential to cause skin cancer. Continuous long-term contact with used lubricating oils has

caused skin cancer in animal tests. .

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	-	Group 1	Known	X
Petroleum distillates, solvent-refined heavy paraffinic 64741-88-4	-	Group 1	Known	Х

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

Unknown Aquatic Toxicty 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 5051 mg/kg

 ATEmix (dermal)
 5051 mg/kg

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Crustacea
Petroleum distillates, hydrotreated heavy	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
paraffinic		mg/L LC50	EC50
64742-54-7		_	
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl)	1.0 - 5.0: 96 h	25 - 50: 96 h Pimephales	4.0 - 6.0: 48 h Daphnia magna
bis(phosphorodithioate)	Pseudokirchneriella subcapitata	promelas mg/L LC50 static 100:	mg/L EC50
2215-35-2	mg/L EC50	96 h Pimephales promelas mg/L	
	_	LC50 semi-static	
Petroleum distillates, solvent-refined heavy	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
paraffinic		mg/L LC50	ÉC50
64741-88-4			

# Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

Waste Disposal Method Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

# 14. TRANSPORT INFORMATION

\_\_\_\_\_

**DOT** Not regulated

IATA PETROLEUM LUBRICATING OIL; NOT REGULATED AS DANGEROUS GOODS FOR

TRANSPORT UNDER ICAO TI OR IATA DGR

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies

DSL/NDSL
Does not comply
EINECS/ELINCS
Does not comply
ENCS
Does not comply
IECSC
Does not comply
KECL
PICCS
Does not comply
PICCS
Does not comply
AICS
Does not comply

## Legend:

All components are either listed on the US TSCA Inventory, or are not regulated under TSCA.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## U.S. Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

## **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **U.S. State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Petroleum distillates, hydrotreated heavy paraffinic	X	-	X
64742-54-7			
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate) 2215-35-2	X	-	X
Petroleum distillates, solvent-refined heavy paraffinic 64741-88-4	X	-	X

#### U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

16. OTHER INFORMATION

NFPA Health hazards 0 Flammability 1 Instability 0 Physical and Chemical

Hazards -

HMIS Health hazards 0 Flammability 1 Physical hazards 0 Personal protection X

Issuing Date05-Aug-2020Revision Date05-Aug-2020

Revision Note Initial Release Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of MSDS**