

Issuing Date 02-Dec-2009

Revision Date 21-Feb-2018

Version 3

Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product name

Universal Tractor Fluid

Other means of identification Product Code(s) Synonyms

1200, 101200 No information available

Recommended use of the chemical and restrictions on useRecommended UseUniversal tractor fluid, lubricant.Uses advised againstNo information available

Details of the supplier of the safety data sheetManufacturer AddressSchaeffer Manufacturing Co. DuQuoin845 N. Hickory StreetDu Quoin,IL 62832TEL: 1-618-542-5431Emergency telephone numberCompany Phone Number618-542-5431Company Emergency PhoneNumberEmergency telephone numberCompany Emergency PhoneChemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1

Label elements

WARNING

EMERGENCY OVERVIEW

Hazard statements Causes serious eye irritation May cause an allergic skin reaction



Odor Mild petroleum odor

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

Specific treatment (see supplemental first aid instruction on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information Unknown Aquatic Toxicty

99.25% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Common Name Chemical Family

. . . .

Hydrocarbon Lubricating Fluid. Petroleum hydrocarbon mixture.

Chemical name	CAS-No	Weight %	Trade secret
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	0-86.5	*
2-ethylhexyl zinc dithiophosphate	4259-15-8	0.6-1.5	*
C14-18 alpha-olefin epoxide, reaction products with boric acid	Proprietary	0.3-0.6	*
Triphenyl phosphite	101-02-0	0.06-0.15	*
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	0-86.5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures		
General advice	No hazards which require special first aid measures.	
Eye contact	Flush eyes for 30 minutes with water. Get medical attention if irritation persists.	
Skin contact	Remove contaminated shoes and clothing and cleanse affected area(s) thoroughly by washing with mild soap and water or a waterless hand cleaner. If irritation or redness develops and persists, seek medical attention.	
Inhalation	Move exposed persons to fresh air. Consult medical personnel if breathing issues occur.	
Ingestion	Do NOT induce vomiting. Consult a physician.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Treat symptomatically.	
	5. FIRE-FIGHTING MEASURES	

Suitable extinguishing media

Carbon dioxide (CO₂). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

Small Fires	Always use personal safety equipment. Follow appropriate personal safety procedures, and extinguishing media.
Large Fires	Contact emergency personnel.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous combustion productsCarbon monoxide. Carbon dioxide (CO₂).

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal protection	Avoid contact with the skin and the eyes. Eye protection or face shield should be used if
-	material is used under conditions that increase the chances of splattering. Wash skin with
	soap and water if contact occurs. Launder soiled clothing. If spilled, take caution, as
	material can cause surfaces to become very slippery.
Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
Methods and material for containing	nent and cleaning up
Methods for containment	Cover with earth, sand, or other non-combustible material followed with plastic sheets to
	minimize spreading or contact with rain.
Methods for cleaning up	Excess liquid material can be collected using a scoop or shovel and stored for recycling or
methode for oreaning up	disposal. Prevent material from entering drains or waterways.
	7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at ambient temperature.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep away from heat and sources of ignition. Keep containers closed when not in use.
Follow first aid measures if contact occurs, and spill procedures if spill occurs. For
packaged material: Store in a cool dry area. For bulk material: store in cool dry area.
Always follow local, state, and federal guidlines for storage of material for amount stored.

Incompatible Products	Strong oxidizing agents.		
8. EX	8. EXPOSURE CONTROLS/PERSONAL PROTECTION		
Control parameters			
Exposure guidelines	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.		
Appropriate engineering controls			
Engineering Controls	Showers Eyewash stations Ventilation systems.		
Individual protection measures, such as personal protective equipment			
Eye/face Protection	If splashes are likely to occur, wear:. Goggles. Eye/face Protection.		
Skin and body protection	Long sleeved clothing. Protective gloves can be worn, if material comes in contact with skin wash with soap and water.		
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.		
General Hygiene Considerations	Remove and wash contaminated clothing before re-use.		
9. PHYSICAL AND CHEMICAL PROPERTIES			

Information on basic physical and chemical properties

Physical state Appearance	Viscous Liquid Amber colored liquid	Odor	Mild petroleum odor
Color	amber	Odor threshold	No information available
<u>Property</u> pH Melting point/freezing point Boiling Point/Range	<u>Values</u> No information available No information available No information available	Remarks • Method	
Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	210 °C / 410 °F No information available No information available	Cleveland open cup (CC	DC)
Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density	No information available No information available No information available No information available		
Specific gravity Water solubility Solubility in other solvents Partition coefficient	0.88 No information available No information available No information available		
Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	No information available 55-65 @40C mm2/s No information available No information available No information available		

Other information

Softening point VOC Content Density Bulk density No information available No information available No information available No information available

10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

<u>Conditions to avoid</u> Excessive heat. High energy sources of ignition.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye contact	Avoid contact with eyes. May cause irritation.
Skin contact	May cause eye/skin irritation. Repeated exposure may cause skin dryness or cracking.
Ingestion	Do NOT taste or swallow.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lubricating oils, petroleum, hydrotreated spent 64742-58-1	> 2000 mg/kg (Rat)	> 4480 mg/kg (Rabbit)	-
2-ethylhexyl zinc dithiophosphate 4259-15-8	= 3100 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Triphenyl phosphite 101-02-0	= 444 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 6.7 mg/L (Rat)1 h
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg (Rat)	-	-

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	May cause sensitization by skin contact. No information available. Mineral oils are known to cause cancer because of carcinogenic components (e.g. benzene). The mineral oil in this product is highly refined and should not be considered a carcinogen. Used lubricating oil may contain hazardous components which have the potential to cause skin cancer. Continuous long-term contact with used lubricating oils has caused skin cancer in animal tests.	
Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard	No information available. No information available. No information available. No information available.	
Numerical measures of toxicity - P	roduct Information	
Unknown Aquatic Toxicty The following values are calculated ATEmix (oral) ATEmix (dermal)	99.25% of the mixture consists of ingredient(s) of unknown toxicity based on chapter 3.1 of the GHS document . 4996 mg/kg 5043 mg/kg	
12. ECOLOGICAL INFORMATION		

Ecotoxicity

Harmful to aquatic life with long lasting effects

86.5% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Lubricating oils, petroleum, hydrotreated	-	3.2: 96 h Pimephales promelas	-
spent		mg/L LC50 semi-static 79.6: 96 h	
64742-58-1		Brachydanio rerio mg/L LC50	
		semi-static	
2-ethylhexyl zinc dithiophosphate	1.0 - 5.0: 96 h	1.0 - 5.0: 96 h Pimephales	1 - 1.5: 48 h Daphnia magna
4259-15-8	Pseudokirchneriella subcapitata	promelas mg/L LC50 static 10.0 -	mg/L EC50
	mg/L EC50	35.0: 96 h Pimephales promelas	
	_	mg/L LC50 semi-static	
Petroleum distillates, hydrotreated heavy	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
paraffinic		mg/L LC50	ÉC50
64742-54-7		_	

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
2-ethylhexyl zinc dithiophosphate 4259-15-8	2.86
Triphenyl phosphite 101-02-0	4.98

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Method	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

14. TRANSPORT INFORMATION

DOT

Not regulated

<u>IATA</u>

PETROLEUM LUBRICATING OIL; NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER ICAO TI OR IATA DGR

15. REGULATORY INFORMATION

International Inventories	
TSCA	Does not comply
DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level

pertaining to releases of this material

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
2-ethylhexyl zinc dithiophosphate	Х	-	Х
4259-15-8			

U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

16. OTHER INFORMATION						
<u>NFPA</u>	Health hazards 1	Flammability 1	Instability 0	Physical and Chemical Hazards -		
HMIS	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection X		
Issuing Date	02-Dec-2009					
Revision Date	21-Feb-2018					
Revision Note						
SDS sections updated 2	23911					
<u>Disclaimer</u>						
The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its						

publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS