

Issuing Date 11-May-2012

-

Version 3

Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Revision Date 23-Sep-2020

Product identifier Product name

Automatic Transmission Fluid M/D III

Other means of identification Product Code(s) Synonyms

1311, 101311 No information available

Recommended use of the chemical and restrictions on useRecommended UseTransmission Fluid, Lubricant.Uses advised againstNo information available

Details of the supplier of the safety data sheetManufacturer AddressSchaeffer Manufacturing Co. DuQuoin845 N. Hickory StreetDu Quoin,IL 62832TEL: 1-618-542-5431Emergency telephone numberCompany Phone Number1-618-542-5431Company Emergency Phone(618) 542-5431NumberEmergency telephone numberCompany Emergency PhoneChemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Label elements

EMERGENCY OVERVIEW					
Not classified	1				
Appearance	Red Colored Liquid	Physical state	Viscous Liquid	Odor	Mild petroleum odor

Hazards not otherwise classified (HNOC) Other information Unknown Aquatic Toxicty 0% of t

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Common Name Chemical Family

Hydrocarbon Lubricating Fluid. Petroleum hydrocarbon mixture.

Chemical name	CAS-No	Weight %	Trade secret
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	0-95	*
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	0-95	*
Petroleum distillates, solvent-refined heavy	64741-88-4	0-95	*
paraffinic			

*The exact percentage (concentration) of composition has been withheld as a trade secret.

	4. FIRST AID MEASURES				
First aid measures					
General advice	No hazards which require special first aid measures.				
Eye contact	Flush eyes for 30 minutes with water. Get medical attention if irritation persists.				
Skin contact	Remove contaminated shoes and clothing and cleanse affected area(s) thoroughly by washing with mild soap and water or a waterless hand cleaner. If irritation or redness develops and persists, seek medical attention.				
Inhalation	Move exposed persons to fresh air. Consult medical personnel if breathing issues occur.				
Ingestion	Do NOT induce vomiting. Consult a physician.				
Most important symptoms a	nd effects, both acute and delayed				
Symptoms	No information available.				
Indication of any immediate	medical attention and special treatment needed				
Notes to Physician	Treat symptomatically.				
5. FIRE-FIGHTING MEASURES					
Suitable extinguishing media Carbon dioxide (CO 2). Dry che	${f a}$ emical. Foam. Water can be used to keep surrounding materials cool.				
Small Fires	Always use personal safety equipment. Follow appropriate personal safety procedures, and				

 Small Fires
 Always use personal safety equipment. Follow appropriate personal safety procedures, and extinguishing media.

Large Fires Contact emergency personnel.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical Combustible material.

Hazardous combustion productsCarbon monoxide. Carbon dioxide (CO₂).

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal protection	Avoid contact with the skin and the eyes. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. Wash skin with soap and water if contact occurs. Launder soiled clothing. If spilled, take caution, as material can cause surfaces to become very slippery.			
Environmental precautions				
Environmental precautions	See Section 12 for additional Ecological Information.			
Methods and material for containment and cleaning up				
Methods for containment	Cover with earth, sand, or other non-combustible material followed with plastic sheets to minimize spreading or contact with rain.			
Methods for cleaning up	Excess liquid material can be collected using a scoop or shovel and stored for recycling or disposal. Prevent material from entering drains or waterways.			

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at ambient temperature.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep away from heat and sources of ignition. Keep containers closed when not in use.
Follow first aid measures if contact occurs, and spill procedures if spill occurs. For
packaged material: Store in a cool dry area. For bulk material: store in cool dry area.
Always follow local, state, and federal guidelines for storage of material for amount stored.

Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure guidelines

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated	TWA: 5 mg/m ³	TWA: 5 mg/m ³	IDLH: 2500 mg/m ³
heavy paraffinic	-	_	TWA: 5 mg/m ³
64742-54-7			STEL: 10 mg/m ³
Petroleum distillates, solvent-refined	TWA: 5 mg/m ³	TWA: 5 mg/m ³	IDLH: 2500 mg/m ³
heavy paraffinic	-	_	TWA: 5 mg/m ³
64741-88-4			STEL: 10 mg/m ³

Appropriate engineering controls

Engineering Controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

General Hygiene Considerations	Remove and wash contaminated clothing before re-use.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Skin and body protection	Long sleeved clothing. Protective gloves can be worn, if material comes in contact with skin wash with soap and water.
Eye/face Protection	If splashes are likely to occur, wear:. Goggles. Eye/face Protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance	Viscous Liquid Red Colored Liquid		Odor	Mild petroleum odor	
Color	red		Odor threshold	No information available	
Property pH Melting point/freezing point Boiling Point/Range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	Values No information available No information available No information available	Ϋ́F	Remarks • Method Based on similar produc		
Softening point VOC Content	No information available No information available				
Density Bulk density	No information available No information available				
10. STABILITY AND REACTIVITY					

Reactivity No data available

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

> 5530 mg/m³ (Rat) 4 h = 2062

ppm (Rat)4h

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Excessive heat. High energy sources of ignition.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye contact	Avoid contact with eyes. May cause irritation.
Skin contact	May cause eye/skin irritation. Repeated exposure may cause skin dryness or cracking.
Ingestion	Do NOT taste or swallow.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg (Rat)> 24 g/kg (Rat)	> 5000 mg/kg (Rabbit)	= 2062 ppm (Rat)4 h
Lubricating oils, petroleum, hydrotreated spent 64742-58-1	> 2000 mg/kg (Rat)	> 4480 mg/kg (Rabbit)	-

Information on toxicological effects

Petroleum distillates, solvent-refined

Symptoms

heavy paraffinic

64741-88-4

No information available.

> 5000 mg/kg (Rat) > 24 g/kg (

Rat)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity No information available. No information available. Mineral oils are known to cause cancer because of carcinogenic components (e.g. benzene). The mineral oil in this product is highly refined and should not be considered a carcinogen. Used lubricating oil may contain hazardous components which have the potential to cause skin cancer. Continuous long-term contact with used lubricating oils has caused skin cancer in animal tests.

> 2000 mg/kg (Rabbit)

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates,	-	Group 1	Known	Х
hydrotreated heavy				
paraffinic				
64742-54-7				
Petroleum distillates,	-	Group 1	Known	Х
solvent-refined heavy				
paraffinic				
64741-88-4				

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure

No information available. No information available. No information available.

Aspiration hazard

No information available.

Numerical measures of toxicity - Product Information

Unknown Aquatic Toxicty 0% of the mixture consists of ingredient(s) of unknown toxicity The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Crustacea
Petroleum distillates, hydrotreated heavy	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
paraffinic		mg/L LC50	EC50
64742-54-7			
Petroleum distillates, solvent-refined heavy	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
paraffinic		mg/L LC50	EC50
64741-88-4		_	

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects	No information available				
13. DISPOSAL CONSIDERATIONS					
Waste treatment methods					
Waste Disposal Method	Disposal should be in accordance with applicable regional, national and local laws and regulations.				
Contaminated packaging	Do not reuse container.				

14. TRANSPORT INFORMATION

DOT

Not regulated

 IATA
 PETROLEUM LUBRICATING OIL; NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER ICAO TI OR IATA DGR

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

Does not comply
Does not comply
Does not comply
Does not comply

IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

Legend:

All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Petroleum distillates, hydrotreated	Х	-	Х
heavy paraffinic			
64742-54-7			
Petroleum distillates, solvent-refined	Х	-	Х
heavy paraffinic			
64741-88-4			

U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

16. OTHER INFORMATION

<u>NFPA</u>	Health hazards 0	Flammability 1	Instability 0	Physical and Chemical Hazards -
HMIS	Health hazards 0	Flammability 1	Physical hazards 0	Personal protection X
Issuing Date Revision Date Revision Note SDS sections updated 2 3 Disclaimer	11-May-2012 23-Sep-2020 2 3 9 11 16			

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS