

Issuing Date 15-Jan-2019

Safety Data Sheet

Revision Date 15-Jan-2019

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

<u>Product identifier</u> Product name	Synthetic SN PLUS Motor Oils
Other means of identification	0/4/ 20, 52462, 5/4/ 20, 52465, 5/4/ 20, 52466, 40/4/ 20, 52467
Product Code(s) Synonyms	0W-20: 52162, 5W-20: 52165, 5W-30: 52166, 10W-30: 52167 No information available
Recommended use of the chemica	al and restrictions on use
Recommended Use	Engine oil, Lubricant.
Uses advised against	No information available
Details of the supplier of the safet Manufacturer Address Schaeffer Manufacturing Co. DuQuo 845 N. Hickory Street	
Manufacturer Address Schaeffer Manufacturing Co. DuQuo 845 N. Hickory Street Du Quoin,IL 62832	
Manufacturer Address Schaeffer Manufacturing Co. DuQuo 845 N. Hickory Street Du Quoin,IL 62832 TEL: 1-618-542-5431	
Manufacturer Address Schaeffer Manufacturing Co. DuQuo 845 N. Hickory Street Du Quoin,IL 62832 TEL: 1-618-542-5431 Emergency telephone number	in
Manufacturer Address Schaeffer Manufacturing Co. DuQuo 845 N. Hickory Street Du Quoin,IL 62832 TEL: 1-618-542-5431 Emergency telephone number Company Phone Number	in 1-618-542-5431
Manufacturer Address Schaeffer Manufacturing Co. DuQuo 845 N. Hickory Street Du Quoin,IL 62832 TEL: 1-618-542-5431 Emergency telephone number	in

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Label elements

EMERGENCY OVERVIEW

Appearance Amber colored liquid

Physical state Viscous Liquid

Odor Mild petroleum odor

Hazards not otherwise classified (HNOC)

Other information Unknown Aquatic Toxicty

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

	rocarbon Lubricating Fluid, Synthetic hydrocarbon lubricating fluid. roleum hydrocarbon mixture, Synthetic Hydrocarbon.
--	--

Chemical name	CAS-No	Weight %	Trade secret

Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	80-90	*
Zinc dialkyl dithiophosphate	68649-42-3	0.51-0.91	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES		
First aid measures		
General advice	No hazards which require special first aid measures.	
Eye contact	Flush eyes for 30 minutes with water. Get medical attention if irritation persists.	
Skin contact	Remove contaminated shoes and clothing and cleanse affected area(s) thoroughly by washing with mild soap and water or a waterless hand cleaner. If irritation or redness develops and persists, seek medical attention.	
Inhalation	Move exposed persons to fresh air. Consult medical personnel if breathing issues occur.	
Ingestion	Do NOT induce vomiting. Consult a physician.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

Suitable extinguishing media

Carbon dioxide (CO₂). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

Small Fires	Always use personal safety equipment. Follow appropriate personal safety procedures, and extinguishing media.
Large Fires	Contact emergency personnel.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Combustible material.

Hazardous combustion productsCarbon monoxide. Carbon dioxide (CO₂).

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal protection Avoid contact with the skin and the eyes. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. Wash skin with soap and water if contact occurs. Launder soiled clothing. If spilled, take caution, as material can cause surfaces to become very slippery.

Other information	Small spill: Remove sources of heat or ignition, provide adequate ventilation, contain leak using absorbent, inert, non-combustible material. Large Spill: Contain spill, transfer to secure containers. In the event of an uncontrolled material release, the user should determine if release is reportable under applicable laws and regulations.
For emergency responders	Clean up area with absorbent material and place in closed containers for disposal.
Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
Methods and material for containme	ent and cleaning up_
Methods for containment	Cover with earth, sand, or other non-combustible material followed with plastic sheets to minimize spreading or contact with rain.
Methods for cleaning up	Excess liquid material can be collected using a scoop or shovel and stored for recycling or disposal. Prevent material from entering drains or waterways.
	7. HANDLING AND STORAGE

 Precautions for safe handling
 Avoid contact with skin, eyes and clothing. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at

ambient temperature.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep away from heat and sources of ignition. Keep containers closed when not in use.
Follow first aid measures if contact occurs, and spill procedures if spill occurs. For
packaged material: Store in a cool dry area. For bulk material: store in cool dry area.
Always follow local, state, and federal guidelines for storage of material for amount stored.

Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure guidelines

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated	TWA: 5 mg/m ³	TWA: 5 mg/m ³	IDLH: 2500 mg/m ³
heavy paraffinic			TWA: 5 mg/m ³
64742-54-7			STEL: 10 mg/m ³

Appropriate engineering controls

Engineering Controls Showers Evewash

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face Protection	If splashes are likely to occur, wear:. Goggles. Eye/face Protection.
Skin and body protection	Long sleeved clothing. Protective gloves can be worn, if material comes in contact with skin wash with soap and water.

Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.		
General Hygiene Considerations	Remove and wash contaminated cloth	ing before re-use.	
9	. PHYSICAL AND CHEMICAL F	PROPERTIES	
Information on basic physical and c	hemical properties		
Physical state	Viscous Liquid		
Appearance	Amber colored liquid	Odor	Mild petroleum odor
Color	amber	Odor threshold	No information available
Property	<u>Values</u>	Remarks • Method	
pH	No information available		
Melting point/freezing point	No information available		
Boiling Point/Range	No information available > 200 °C / > 392 °F	Claveland onen aun (CO)	\sim
Flash point Evaporation rate	No information available	Cleveland open cup (CO	()
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific gravity	0.85-0.86		
Water solubility	No information available		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature			
Decomposition temperature	No information available		
Kinematic viscosity	40-65 @40C mm2/s		
Dynamic viscosity	No information available		
Explosive properties Oxidizing properties	No information available No information available		
Oxidizing properties	No mormation available		
Other information			
Softening point	No information available		
VOC Content	No information available		
Density	No information available		
Bulk density	No information available		

10. STABILITY AND REACTIVITY

<u>Reactivity</u> No data available

<u>Chemical stability</u> Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Excessive heat. High energy sources of ignition.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye contact	Avoid contact with eyes. May cause irritation.
Skin contact	May cause eye/skin irritation. Repeated exposure may cause skin dryness or cracking.
Ingestion	Do NOT taste or swallow.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated	> 15 g/kg (Rat) > 24 g/kg (Rat)	> 5000 mg/kg (Rabbit)	= 2062 ppm (Rat) 4 h
heavy paraffinic			
64742-54-7			

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	Mineral oils are known to cause cancer because of carcinogenic components (e.g.
	benzene). The mineral oil in this product is highly refined and should not be considered a carcinogen. Used lubricating oil may contain hazardous components which have the potential to cause skin cancer. Continuous long-term contact with used lubricating oils has caused skin cancer in animal tests.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates,	-	Group 1	Known	Х
hydrotreated heavy				
paraffinic				
64742-54-7				

Reproductive toxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.Aspiration hazardNo information available.

Numerical measures of toxicity - Product Information

Unknown Aquatic Toxicty0% of the mixture consists of ingredient(s) of unknown toxicityThe following values are calculated based on chapter 3.1 of the GHS document .ATEmix (oral)5051MTEmix (dermal)5051mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

16.67% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Petroleum distillates, hydrotreated heavy	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
paraffinic		mg/L LC50	EC50
64742-54-7			
Zinc dialkyl dithiophosphate	-	10.0 - 35.0: 96 h Pimephales	1 - 1.5: 48 h Daphnia magna
68649-42-3		promelas mg/L LC50 semi-static	mg/L EC50
		1.0 - 5.0: 96 h Pimephales	-
		promelas mg/L LC50 static	

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available **13. DISPOSAL CONSIDERATIONS** Waste treatment methods Waste Disposal Method Disposal should be in accordance with applicable regional, national and local laws and regulations. **Contaminated packaging** Do not reuse container.

14. TRANSPORT INFORMATION

DOT Not regulated

PETROLEUM LUBRICATING OIL; NOT REGULATED AS DANGEROUS GOODS FOR IATA TRANSPORT UNDER ICAO TI OR IATA DGR

AL DEALH ATARY INFORMATION

	15. REGULATOR FINFORMATION		
International Inventories			
TSCA	Does not comply		
DSL/NDSL	Does not comply		
EINECS/ELINCS	Does not comply		

EINECS/ELINCS ENCS Does not comply **IECSC** Does not comply Does not comply KECL PICCS Does not comply AICS Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Petroleum distillates, hydrotreated	Х	-	Х
heavy paraffinic 64742-54-7			
Zinc dialkyl dithiophosphate 68649-42-3	Х	-	Х

U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

16. OTHER INFORMATION				
NFPA	Health hazards 0	Flammability 1	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health hazards 0	Flammability 1	Physical hazards 0	Personal protection X
Issuing Date Revision Date Revision Note Initial Release	15-Jan-2019 15-Jan-2019			
			owledge, information and afe handling, use, processi	

transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.