

Issuing Date 18-Sep-2018

# **Safety Data Sheet**

Revision Date 18-Sep-2018

Version 1

52128,

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product name	SN PLUS Motor Oils; 5W-20, 5W-30, 10W-30, 10W-40, 20W-50
Other means of identification	
Product Code(s)	5W-20: 52175, 152175. 5W-30: 52176, 152176. 10W-30: 52177, 152177. 10W-40: 152128. 20W-50: 52120
Synonyms	No information available
Recommended use of the chemical	and restrictions on use
Recommended Use	Engine oil, Lubricant.
Uses advised against	All Other Uses
Details of the supplier of the safety	data sheet
Manufacturer Address	
Schaeffer Manufacturing Co. DuQuoir	1
845 N. Hickory Street	
Du Quoin,IL 62832	
TEL: 1-618-542-5431	
Emergency telephone number	
Company Phone Number	1-618-542-5431

Chemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

## **Classification**

## **OSHA Regulatory Status**

**Emergency telephone number** 

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

## Label elements

## **EMERGENCY OVERVIEW**

Appearance Amber colored liquid

Physical state Viscous Liquid

Odor Mild petroleum odor

## Hazards not otherwise classified (HNOC)

Other information Unknown Aquatic Toxicty

0% of the mixture consists of ingredient(s) of unknown toxicity

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Common Name Chemical Family Hydrocarbon Lubricating Fluid. Petroleum hydrocarbon mixture.

Chemical name	CAS-No	Weight %	Trade secret
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	40-85	*

Lubricating oils, petroleum, hydrotreated spent	64742-58-1	0-40	*
Zinc dialkyl dithiophosphate	68649-42-3	0.50-0.91	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

	4. FIRST AID MEASURES		
First aid measures			
General advice	No hazards which require special first aid measures.		
Eye contact	Flush eyes for 30 minutes with water. Get medical attention if irritation persists.		
Skin contact	Remove contaminated shoes and clothing and cleanse affected area(s) thoroughly by washing with mild soap and water or a waterless hand cleaner. If irritation or redness develops and persists, seek medical attention.		
Inhalation	Move exposed persons to fresh air. Consult medical personnel if breathing issues occur.		
Ingestion	Do NOT induce vomiting. Consult a physician.		
Most important symptoms and	l effects, both acute and delayed		
Symptoms	ymptoms No information available.		
Indication of any immediate me	edical attention and special treatment needed		
Notes to Physician Treat symptomatically.			
	5. FIRE-FIGHTING MEASURES		
Suitable extinguishing media Carbon dioxide (CO <sub>2</sub> ). Dry chem	ical. Foam. Water can be used to keep surrounding materials cool.		
Small Fires	Always use personal safety equipment. Follow appropriate personal safety procedures, and extinguishing media.		
Large Fires	Large Fires         Contact emergency personnel.		
Unsuitable extinguishing n	nedia Do not use a solid water stream as it may scatter and spread fire.		
Specific hazards arising from the Combustible material.	the chemical		
Hazardous combustion pro	oductsCarbon monoxide. Carbon dioxide (CO 2).		
<u>Explosion data</u> Sensitivity to Mechanical Ir Sensitivity to Static Discha			
Protective equipment and prec As in any fire, wear self-containe protective gear.	cautions for firefighters d breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions, protecti	ve equipment and emergency procedures		
Personal protection	Avoid contact with the skin and the eyes. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. Wash skin with soap and water if contact occurs. Launder soiled clothing. If spilled, take caution, as		

	material can cause surfaces to become very slippery.			
Other information	Small spill: Remove sources of heat or ignition, provide adequate ventilation, contain leak using absorbent, inert, non-combustible material. Large Spill: Contain spill, transfer to secure containers. In the event of an uncontrolled material release, the user should determine if release is reportable under applicable laws and regulations.			
For emergency responders	Clean up area with absorbent material and place in closed containers for disposal.			
Environmental precautions				
Environmental precautions	Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or confined areas.			
Methods and material for containme	ent and cleaning up			
Methods for containment	Cover with earth, sand, or other non-combustible material followed with plastic sheets to minimize spreading or contact with rain.			
Methods for cleaning up	Excess liquid material can be collected using a scoop or shovel and stored for recycling or disposal. Prevent material from entering drains or waterways.			
7. HANDLING AND STORAGE				
Precautions for safe handling				
Advice on safe handling	Avoid contact with skin, eyes and clothing. Eye protection or face shield should be used if			
	material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at ambient temperature.			
Conditions for safe storage, includi	made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at ambient temperature.			
<u>Conditions for safe storage, includi</u> Storage Conditions	made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at ambient temperature.			
-	<ul> <li>made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at ambient temperature.</li> <li>ing any incompatibilities</li> <li>Keep away from heat and sources of ignition. Keep containers closed when not in use. Follow first aid measures if contact occurs, and spill procedures if spill occurs. For packaged material: Store in a cool dry area. For bulk material: store in cool dry area.</li> </ul>			

## Control parameters

# Exposure guidelines

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup>
heavy paraffinic			TWA: 5 mg/m <sup>3</sup>
64742-54-7			STEL: 10 mg/m <sup>3</sup>

# Appropriate engineering controls

**Engineering Controls** 

Showers Eyewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

**Eye/face Protection** 

If splashes are likely to occur, wear:. Goggles. Eye/face Protection.

Skin and body protection	Long sleeved clothing. Protective gloves can be worn, if material comes in contact with skin wash with soap and water.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Remove and wash contaminated clothing before re-use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Appearance	Viscous Liquid Amber colored liquid	Odor	Mild petroleum odor
Color	amber	Odor threshold	No information available
<u>Property</u> pH	<u>Values</u> No information available	Remarks • Method	
Melting point/freezing point Boiling Point/Range Flash point	No information available No information available > 185 °C / > 365 °F	Pensky-Martens Closed EPA 1010	Cup (PMCC), ASTM D93,
Evaporation rate Flammability (solid, gas) Flammability Limit in Air	No information available No information available		
Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density	No information available No information available No information available No information available		
Specific gravity Water solubility Solubility in other solvents	0.86-0.88 No information available No information available		
Partition coefficient Autoignition temperature Decomposition temperature	No information available		
Kinematic viscosity Dynamic viscosity Explosive properties	50-170 @40C mm2/s No information available No information available		
Oxidizing properties Other information	No information available		
Softening point VOC Content Density Bulk density	No information available No information available No information available No information available		

# **10. STABILITY AND REACTIVITY**

Reactivity No data available

<u>Chemical stability</u> Stable under normal conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### Hazardous polymerization Hazardous polymerization does not occur.

#### Conditions to avoid

Excessive heat. High energy sources of ignition.

#### **Incompatible materials**

Strong oxidizing agents.

#### Hazardous decomposition products

None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	No data available	
Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system.	
Eye contact	Avoid contact with eyes. May cause irritation.	
Skin contact	May cause eye/skin irritation. Repeated exposure may cause skin dryness or cracking.	
Ingestion	Do NOT taste or swallow.	

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated	> 15 g/kg (Rat) > 24 g/kg (Rat)	> 5000 mg/kg (Rabbit)	= 2062 ppm (Rat) 4 h
heavy paraffinic			
64742-54-7			
Lubricating oils, petroleum,	> 2000 mg/kg (Rat)	> 4480 mg/kg (Rabbit)	-
hydrotreated spent		· · ·	
64742-58-1			

#### Information on toxicological effects

Symptoms

No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Sensitization Germ cell mutagenicity Carcinogenicity

Irritating to eyes. No information available. No information available. Mineral oils are known to cause cancer because of carcinogenic components (e.g. benzene). The mineral oil in this product is highly refined and should not be considered a carcinogen. Used lubricating oil may contain hazardous components which have the potential to cause skin cancer. Continuous long-term contact with used lubricating oils has caused skin cancer in animal tests.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy paraffinic	-	Group 1	Known	Х
,				

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

#### Numerical measures of toxicity - Product Information

Unknown Aquatic Toxicty0% of the mixture consists of ingredient(s) of unknown toxicityThe following values are calculated based on chapter 3.1 of the GHS document .ATEmix (oral)5051MTEmix (dermal)5051mg/kg

# **12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Crustacea
Petroleum distillates, hydrotreated heavy	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
paraffinic		mg/L LC50	ÉC50
64742-54-7		-	
Zinc dialkyl dithiophosphate	-	10.0 - 35.0: 96 h Pimephales	1 - 1.5: 48 h Daphnia magna
68649-42-3		promelas mg/L LC50 semi-static	mg/L EC50
		1.0 - 5.0: 96 h Pimephales	-
		promelas mg/L LC50 static	

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Other adverse effects	No information available
	13. DISPOSAL CONSIDERATIONS
Waste treatment methods	
Waste Disposal Method	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

# 14. TRANSPORT INFORMATION

DOT

Not regulated

<u>IATA</u>

PETROLEUM LUBRICATING OIL; NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER ICAO TI OR IATA DGR

# **15. REGULATORY INFORMATION**

International Inventories TSCA DSL/NDSL EINECS/ELINCS

Does not comply Does not comply Does not comply

ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

## Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## U.S. Federal Regulations

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# U.S. State Regulations

## California Proposition 65

This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Petroleum distillates, hydrotreated	Х	-	X
heavy paraffinic			
64742-54-7			
Zinc dialkyl dithiophosphate	Х	-	X
68649-42-3			

## U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

## **16. OTHER INFORMATION**

NFPA_	Health hazards 0	Flammability 1	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health hazards 0	Flammability 1	Physical hazards 0	Personal protection X
Issuing Date Revision Date Revision Note Initial Release		18-Sep-2018 18-Sep-2018		
Disclaimer The information pro	ovided in this Safety Data S	Sheet is correct to the b	est of our knowledge, info	rmation and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of MSDS